

www.airblowerservices.com

1.630.372.9222

ALL STAR™

Regenerative Blowers
Vacuum Pumps

	Age	Hz	HP	kW	SCFM	Pressure		Vacuum		Noise Level		Net Weight	
						mbar	"H2O	mbar	"H2O	db(A)	db(A)	kg	lbs
RB23-101-1	1	60	1.1	.85	67	250	100	245	98	66 db(A)	23	51	
RB23-101-3	3	50		.75	55	240	96	205	82	60 db(A)	23	51	

*Refer to curves below for detailed performance data. Data subject to change without notice. Actual performance may vary by ±10%.

STANDARD FEATURES

- Housing - Aluminum
- Impeller - Aluminum, dynamically balanced
- Direct drive impeller
- Shock absorbing mounting base
- Quiet operation - below OSHA limits
- Inlet & outlet silencers included
- Motor shaft seal standard
- IP 54 TEFC 2 pole squirrel cage ac motor
- 40 Deg C ambient
- Class H insulation 1.15 service factor
- Performance tested ANSI/AMCA210-85
- Voltage
 - 1 = 1/60/50/115/230
 - 2 = 1/60/50/230
 - 3 = 3/60/208-230/460 3/50/220/380

3/60/208-230/460 & 3/50/220/380

RB23-101-3 replaces HB-2308

1/60/115/230 & 1/50/220

RB23-101-1 repases HB-2308-1


ACCESSORIES

Note: To obtain warranty coverage on the blower a relief valve and filter are required.

Pressure Relief Valve RV-01
Pressure Relief Valve RVA-01

Vacuum Relief Valve RV-01
Vacuum Relief Valve RVA-01

Pressure Intake Air Filter F19P-125
Vacuum Air Filter CSL-849-125HC



TECHNICAL DATA


- [Available online www.all-star-usa.com]
- Performance Temperature Rise Curves
- AutoCad files
- Parts List
- Full load amperage



RoHS
Compliant

PRESSURE DATA CURVES ±10%

[See reverse side for Vacuum Curves]




1.630.372.9222


ALL STAR™

Regenerative Blowers
Vacuum Pumps


Capacitor for RB23-101-1




Assembly "A"
Discharge Silencer Position




Capacitor for RB23-101-1



Assembly "B"
Discharge Silencer Position




VACUUM DATA CURVES






Air

Blower Services Inc.

www.airblowerservices.com
1.630.372.9222



Note:
mm/inches
Subject to change without notice.



ALL-STAR PRODUCTS INC
Cleveland Ohio Memphis Tennessee

Model RB23 Series, Assembly A
Regenerative Blower/Vacuum Pump





December 30, 2006

Air

Blower Services Inc.

www.airblowerservices.com

1.630.372.9222



ALL-STAR PRODUCTS INC
Cleveland Ohio Memphis Tennessee

Model RB23 Series, Assembly B
Regenerative Blower/Vacuum Pump






December 30, 2006

B23 Series - Pressure - Single Phase

60Hz

The technical data is based on 1 bar (abs.) free atmosphere and 20°C with Inlet air density 1.2kg/m³, ±10 %variance.

November 2006








B23 Series - Vacuum - Single Phase

60Hz

The technical data is based on 1 bar (abs.) free atmosphere and 20°C with Inlet air density 1.2kg/m³, ±10 %variance.

November 2006








B23 Series - Pressure - Three Phase

60Hz

The technical data is based on 1 bar (abs.) free atmosphere and 20°C with Inlet air density 1.2kg/m³, ±10 %variance.

November 2006



B23 Series - Vacuum - Three Phase
 60Hz

The technical data is based on 1 bar (abs.) free atmosphere and 20°C with Inlet air density 1.2kg/m³, ±10 %variance.

November 2006

